SEXUAL HEALTH


PSHE Year 8 Summer 1

KNOWLEDGE ORGANISER

Overview:

- Healthy relationships and responsibilities
- Starting relationships
- Sexual consent
- Contraception.

RELATIONSHIPS



Sexual relationships – what is appropriate?

REGRET

How to avoid regret? <u>Talking</u> in a relationship <u>beforehand</u> about what both people want, how to prevent a pregnancy, (if in a heterosexual relationship) and protect against STIs in any sexual relationship, can avoid the feeling of regret at having sex

Who can I speak to if I am worried or need to ask questions? • Form Tutor / Year Leader

- PSHE teacher
- Designated Safeguarding Lead in School (Mr. Biddle; Mrs. Sawtell; Mr. Beet; Mrs. Deeney)
- Support staff
- Trusted adult
- ChildLine
- NSPCC
- CEOP
- Social Worker
- Chathealth
- www.disrespectnobody.co.uk
- www.thehideout.org.uk

Sexual CONSENT and the law:

Consent means 'giving your permission or agreeing to do something'

In the UK to be able to give sexual consent you have to:

- Be over 16 years old
- Have the mental capacity
- Have the choice



Have the freedom to choose

READY

- Being **ready** involves the emotional maturity to ...
- Be **yourself** stick to your values and in your own time
- Give and expect respect
- Seek and give consent
- Sex is not the only way to be intimate
- Stay safe and protected from pregnancy and STIs
- Stay in **control** not be influenced by alcohol or drugs
- Talk it through with your partner
- Show your **feelings** they really matter!
- It's ok if you're not ready wait as long as you want!
 There should never be pressure to 'be ready'





Barrier Methods



Condoms - known as a barrier method. They work by stopping sperm from entering the vagina, anus or mouth to prevent STIs and pregnancy in vaginal sex

With correct use condoms are 98% effective at stopping pregnancy and STIs

What is 100% effective? NO Sex!

- **Contraceptive Pill**
- * Must be taken EVERY DAY
- 98% effective if taken correctly
- * Can help make periods, lighter, shorter and regular

 Reasons for failure: forget to take it, sickness, diarrhoea and other medication

- Can cause headaches/mood swings
- * They are FREE





CONTRACEPTION

-

Implant


- Small flexible rod
- ♦ 99% effective
- Lasts 3 years
- Periods can stop or become irregular

Where are male condoms worn?

Where are female condoms worn?

They are FREE





Over the penis

Inside the vagina

Injection

- Given every 12 weeks (3 months)
- Can reduce heavy periods
- If side effects happen they may last the length of the injection

